

id 6428

Velkonis



[Pārdod 2011. gada DP2 AHTS OSV — 100 T BP/ 8000 BHP](#)

Kuģa id	6428
Kategorija	Velkonis
Klase	ABS
Būvēšanas gads	2011
Karogs	Māršala salas
Cena	\$3,200,000
Kuģa pievienošanas datums	2022-10-13
Pievienoja	Horizon Offshore Services

Kuģa izmēri

Kopējais garums (LOA), m	67.4
Dziļums, m	7
Kuģa iegrime, m	5.9

Papildus informācija

Galvenais dzinējs2 x 4000bhp
Pašgājējs	
Klāji	1

Līdzīgi kuģi	Rādīt līdzīgus kuģus
Pieprasījumi	Pirkšanas pieprasījumu saskaņošana
e-pasts	Sūtīt e-pastu



Ref: 04202

DP2 AHTS VESSEL AVAILABLE FOR SALE



Key Features:

- DP2
- 420m² Deck Space
- 8000 BHP
- 100T Bollard Pull

DP2 AHTS

Class Notation	DP2, Towing Vessel, Fire Fighting Vessel Class L, Offshore Support Vessel Class, DP2, DP AHTS, DP AHTS, DP
Place of Build	China
Year of Build	2011
Flag	Marshall Island

Main Particulars	
Design	Customized
LDA	67.00m
Breadth	14.00m
Depth	7.00m
Max Loaded Draft	5.90m

Performance	
Max Speed	13 knots
Engine Power	8000 hp
Bollard Pull	100T

Capacity	
Displacement	2000 tons
Deck Load	Approx. 800 Tons
Crane Deck Dim.	30m x 14m
Deck Area	420m ²
Deck Strength	15.0m ²
Dry Bulk Capacity	4 x 12.5m ³
Dirt / Ballast Water	700m ³
Portable Water	200m ³
Oil Storage	300m ³
Waste	Some Tanks w/ OBM
Fuel Oil	1100m ³
Proseur Room	30m ³
Cooker Room	12m ³

Deck Equipment	
Capstans	2 x 20T @ 15m/min
Winch	1 x 10T @ 15m/min
Deck Crane	2T @ 14m
Manoeuvring Boat	1 x 8 persons

Propulsion Equipment	
Propellers	DP @ 15m/min

Discharge	
Waste Water	1 x 80m ³ /hr @ 100m
Ballast / Oil Water	1 x 50m ³ /hr @ 100m
Dry Bulk	2 x 100m ³ /hr @ 100m
Liquid Mud / Slime	1 x 80m ³ /hr @ 80m
Feed Oil	1 x 80m ³ /hr @ 70m

Propulsion and Main Engines	
DP	8000hp
Main Engines	2 x 8000hp
Main Engines- Make / Type	Wipac W6200C3
Propellers	2 x CPP with four blades

Thruster	
Wipac	2 x 6.0m ³ Thrust
Wipac	1 x 6.0m ³ Thrust

Auxiliary Engines	
Wipac Generators	2 x 1500 kW
Wipac Generators	2 x 1500 kW
Emergency Generators	1 x 15.0 kW
Supply System- Voltage	400V/3Ph/3W

Accommodation	
Single Berth Cabins	6 x 1 berths
Double Berth Cabins	2 x 2 berths
Triple Berth Cabins	8 x 1 berths
Total Accommodation	42 berths
Wipac	

Towing and Anchor Handling Details	
Wipac	2000T
Wipac Capacity	8000T
Towing Drum	1200m x 40mm
Anchor Handling Drum	1200m x 40mm
Spool	2 x 1.40m/ton
Shank Size	300T DWT
Towing Pin	300T DWT
Shank Wire Size	1200m x 40mm
Wipac Roller	300T DWT, 4.0m x 2.0m

Specialty Positioning System	
DP System	Compass DP2 DP2 Duplex
Reference	2 x DGPS + Compass

This technical specifications are for general guidance only and is subject to change without notice. Please Contact

accepts no responsibility, and disclaims all liability for any errors and/or omissions in this specification. The vessel is always offered on "as is, where is" basis.